**IMPORTANT NOTE:**
Locate the Specification Label on unit to determine exact Model Name and electrical specifications. This information is needed to identify the correct replacement parts. See exploded view illustration(s) for Specification Label location.


**⚠ CAUTION**


**Use of replacement parts other than those supplied by Hatco Corporation may result in damage to unit or injury to personnel and will void all warranties.**

# Built-In Cold Shelves

## *CSU, CSSBF, CSBF, and CSSB Series*


| Model Name | Page | Model Name | Page |
|---|---|---|---|
| CSBF | 2 | CSBFX | 2 |
| CSSB | 2 | CSSBX | 2 |
| CSSBF | 2 | CSSBFX | 2 |
| CSU | 2 | CSUX | 2 |
| CSBFR | 2 | Control Enclosure | 3 |
| CSSBR | 2 | Condensing Unit | 4–10 |
| CSSBFR | 2 | | |
| CSUR | 2 | | |



# Replacement Parts List

© 2025 Hatco Corporation


# Built-In Cold Shelves
# CSU, CSSBF, CSBF, and CSSB Models *

## Main Assembly

| Item | Description | Part No. | Qty. |
|---|---|---|---|
| 1 | TXV Valve * | | |
| | R-513A Refrigerant Models | | |
| | CSU/CSSBF/CSBF-24 | 03.02.101.00 | 1 |
| | CSU/CSSBF/CSBF-36 | 03.02.101.00 | 1 |
| | CSU/CSSBF/CSBF-48-F and -48-I | 03.02.101.00 | 1 |
| | CSSB-2418, -3018, -3618, -4818 | 03.02.101.00 | 1 |
| | CSU/CSSBF/CSBF-48-S | 03.02.102.00 | 1 |
| | R-404A Refrigerant Models | | |
| | CSU/CSSBF/CSBF-24 | 03.02.075.00 | 1 |
| | CSU/CSSBF/CSBF-36 | 03.02.075.00 | 1 |
| | CSU/CSSBF/CSBF-48-F and -48-I | 03.02.075.00 | 1 |
| | CSSB-2418, -3018, -3618, -4818 | 03.02.075.00 | 1 |
| | CSU/CSSBF/CSBF-48-S | 03.02.076.00 | 1 |

| Item | Description | Part No. | Qty. |
|---|---|---|---|
| 2 | Solenoid Coil (X Models only) | | |
| | 120 V | 03.02.082.00 | 1 |
| | 220/230/240 V | 03.02.084.00 | 1 |
| 3 | Solenoid Valve (X Models only) | 03.02.081.00 | 1 |
| 4 | Mounting Bracket, Leveling | 04.47.351.00 | 4 |
| 5 | Mounting Bracket, Support | 04.47.354.00 | 4 |
| 6 | Nut, Leveling Bolt | 05.04.028.00 | 4 |
| 7 | Leveling Bolt | 05.04.867.00 | 4 |
| 8 | Thermal Mastic (not shown) | R05.01.071.00 | 1 |
| | Wiring Diagram | | |
| | Standard 120 V Models | 10-01-1099 | |
| | “R” and “X” Models | 10-01-1101 | |

***** Includes “R” (remote) and “X” (not supplied with a condensing unit) models.




## Control Enclosure — CSU, CSSBF, CSBF, and CSSB Models

| Item | Description | Part No. | Qty. |
|---|---|---|---|
| 1 | Temperature Probe | 02.01.387.00 | 1 |
| 2 | Switch, Rocker ** | 02.19.261.00 | 1 |
| 3 | Controller, Electronic w/ Probe | | |
| | 120 V | R02.01.375.12 | 1 |
| | 220/230/240 V | R02.01.406.08 | 1 |
| 4 | Relay | | |
| | 120 V | 02.01.088.00 | 1 |
| | 220/230/240 V | 02.01.105.00 | 1 |
| 5 | Terminal Block | R02.15.030.00 | 2 |

| Item | Description | Part No. | Qty. |
|---|---|---|---|
| 6 | Cord Grip | R02.20.259.00 | 2 |
| 7 | Power Cord | | |
| | NEMA 5-15P | 02.18.284.00 | 1 |
| | Schuko CEE 7/7 | 02.18.077.00 | 1 |
| | BS-1363 (6 A) | 02.18.066.00 | 1 |
| | BS-1363 (13 A) | 02.18.068.00 | 1 |
| | AS-3112 | 02.18.207.00 | 1 |
| 8 | Conversion Kit (includes items 1–7, control box, and wiring diagram) | R00.02.0094.00 | 1 |

** Units equipped with a condensing unit that have a Date Code of 2401 or older, use P/N 02.19.015.00. Remote units or units supplied without a condensing unit from Hatco use P/N 02.19.015.00 only.





*NOTE: The last four digits in a ten digit numerical serial number are the manufacturing date code.*


*Example: Serial number 962506**2231** has a date code of "2231" which indicates the following:* 2231

Week Thirty-One

Year 2022

## Condensing Unit R513A – Emerson/Copeland Model M7 (CSU, CSSBF, CSBF, and CSSB Models)




| Item | Description | Part No. | Qty. |
|---|---|---|---|
| 1 | Fan Motor, Condensing Unit | | |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-24, -36, -48-F, -48-I, and all CSSB Models | 03.13.071.00 | 1 |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.143.00 | 1 |
| | 220/230/240 V, 50/60 Hz CSU/CSSBF/CSBF-24, -36, -48-F, -48-I, and all CSSB Models | 03.13.093.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.096.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-48-S | 03.13.100.00 | 1 |
| 2 | Fan Guard, Condensing Unit | | |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-24, -36, -48-F, -48-I, and all CSSB Models | 03.13.074.00 | 1 |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.103.00 | 1 |
| | 220/230/240 V, 50/60 Hz CSU/CSSBF/CSBF-24, -36, -48-F, -48-I, and all CSSB Models | 03.13.074.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.098.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-48-S | 03.13.103.00 | 1 |
| 3 | Fan Blade, Condensing Unit | | |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-24, -36, -48-F, -48-I, and all CSSB Models | 03.13.005.00 | 1 |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.101.00 | 1 |
| | 220/230/240 V, 50/60 Hz CSU/CSSBF/CSBF-24, -36, -48-F, -48-I, and all CSSB Models | 03.13.005.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.022.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-48-S | 03.13.101.00 | 1 |

| Item | Description | Part No. | Qty. |
|---|---|---|---|
| 4 | Air Condenser, Condensing Unit | | |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-24, -36-F CSSB-2418, -3018, -3618 Models | 03.13.078.00 | 1 |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-36-I, -36-S, -48-F, -48-I, and CSSB-4818 | 03.13.073.00 | 1 |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.144.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-24, -36, -48-F, -48-I, and CSSB Models | 03.13.073.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.077.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-24, -36F CSSB-2418, -3018, -3618 | 03.13.073.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-36-I, -36-S, -48-F, -48-I, and CSSB-4818 | 03.13.078.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-48-S | 03.13.102.00 | 1 |
| 5 | Condenser Shroud, Condensing Unit | | |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-24, -36, -48-F, -48-I, and all CSSB Models | 03.13.029.00 | 1 |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.026.00 | 1 |
| | 220/230/240 V, 50/60 Hz CSU/CSSBF/CSBF-24, -36, -48-F, -48-I, and all CSSB Models | 03.13.029.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.026.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-48-S | 03.13.031.00 | 1 |


The shaded areas contain part information for **International models only**.


| Item | Description | Part No. | Qty. |
|---|---|---|---|
| 6 | Relay, Compressor | | |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-24, -36-F CSSB-2418, -3018, -3618 Models | 03.13.134.00 | 1 |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-36-I, -36-S, -48-F, -48-I, and CSSB-4818 | 03.13.138.00 | 1 |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.147.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-24, -36, -48-F, -48-I, and CSSB Models | 03.13.157.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.161.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-24, -36F CSSB-2418, -3018, -3618 | 03.13.157.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-36-I, -36-S, -48-F, -48-I, -48-S, and CSSB-4818 | 03.13.154.00 | 1 |
| 7 | Starter, Compressor | | |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-24, -36-F CSSB-2418, -3018, -3618 Models | 03.13.135.00 | 1 |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-36-I, -36-S, -48-F, -48-I, and CSSB-4818 | 03.13.139.00 | 1 |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.148.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-24, -36, -48-F, -48-I, and CSSB Models | 03.13.158.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.162.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-24, -36F CSSB-2418, -3018, -3618 | 03.13.158.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-36-I, -36-S, -48-F, -48-I, and CSSB-4818 | 03.13.091.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-48-S | 03.13.091.00 | 1 |
| 8 | Filter Drier | | |
| | 120 V, 50/60 Hz CSU/CSSBF/CSBF-24, -36, -48-F, -48-I, and all CSSB Models (1/4″ I.D. SWT Connection) | 03.13.003.00 | 1 |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-48-S (3/8″ I.D. SWT Connection) | 03.13.142.00 | 1 |
| | 220/230/240 V, 50/60 Hz (1/4″ I.D. SWT Connection) | 03.13.003.00 | 1 |
| 9 | Sight Glass | | |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-24, -36, -48-F, -48-I, and all CSSB Models (1/4″ I.D. SWT Connection) | 03.13.002.00 | 1 |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-48-S (3/8″ I.D. SWT Connection) | 03.13.141.00 | 1 |
| | 220/230/240 V, 50/60 Hz | 03.13.002.00 | 1 |
| 10 | External Protector | | |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-24, -36, -48-F, -48-I, and all CSSB Models | 03.13.136.00 | 1 |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.140.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-24, -36, -48-F, -48-I, and CSSB Models | 03.13.159.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.164.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-24, -36F CSSB-2418, -3018, -3618 | 03.13.159.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-36-I, -36-S, -48-F, -48-I, and CSSB-4818 | 03.13.155.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-48-S | 03.13.155.00 | 1 |
| 11 | Compressor | | |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-24, -36-F CSSB-2418, -3018, -3618 Models | 03.13.133.00 | 1 |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-36-I, -36-S, -48-F, -48-I, and CSSB-4818 | 03.13.137.00 | 1 |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.146.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-24, -36, -48-F, -48-I, and CSSB Models | 03.13.156.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.160.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-24, -36F CSSB-2418, -3018, -3618 | 03.13.156.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-36-I, -36-S, -48-F, -48-I, and CSSB-4818 | 03.13.153.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-48-S | 03.13.153.00 | 1 |
| 12 | Pressure Control | 03.13.108.00 | 1 |
| 13 | Accumulator (Receiver—includes attached service valve) † | 03.13.075.00 | 1 |
| 14 | Valve, Service | | |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-24, -36, -48-F, -48-I, and all CSSB Models | 03.13.012.00 | 1 |
| | 120 V, 60 Hz (3/8″ I.D. SWT Inlet) CSU/CSSBF/CSBF-48-S | 03.13.012.00 | 1 |
| | 120 V, 60 Hz (1/2″ I.D. SWT Inlet) CSU/CSSBF/CSBF-48-S | 03.13.145.00 | 1 |
| | 220/230/240 V, 50/60 Hz | 03.13.012.00 | 1 |
| 15 | Run Capacitor (not shown) | | |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.149.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.163.00 | 1 |
| 16 | Cap and Relay Assembly (not shown) | | |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.150.00 | 1 |


† The attached service valve on the Accumulator is not replaceable. It the valve malfunctions, the entire Accumulator must be replaced.

## Condensing Unit with R-404A Refrigerant
## Emerson/Copeland Model M6
## (CSU, CSSBF, CSBF, and CSSB Models)

Emerson/Copeland Model M6
(Model on NAMEPLATE)




| Item | Description | Part No. | Qty. |
|---|---|---|---|
| 1 | Fan Motor, Condensing Unit | | |
| | 120 V, 60 Hz | 03.13.071.00 | 1 |
| | 220/230/240 V, 50/60 Hz CSU/CSSBF/CSBF-24, -36-F, -48-S CSSB-2418, -3018, -3618 | 03.13.093.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-36-I, -36-S, -48-F, -48-I, and CSSB-4818 | 03.13.100.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.096.00 | 1 |
| 2 | Fan Guard, Condensing Unit | | |
| | 120 V, 60 Hz | 03.13.074.00 | 1 |
| | 220/230/240 V, 50/60 Hz CSU/CSSBF/CSBF-24, -36-F, -48-S CSSB-2418, -3018, -3618 | 03.13.074.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-36-I, -36-S, -48-F, -48-I, and CSSB-4818 | 03.13.103.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.098.00 | 1 |
| 3 | Fan Blade, Condensing Unit | | |
| | 120 V, 60 Hz | 03.13.005.00 | 1 |
| | 220/230/240 V, 50/60 Hz CSU/CSSBF/CSBF-24, -36-F, -48-S CSSB-2418, -3018, -3618 | 03.13.005.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-36-I, -36-S, -48-F, -48-I, and CSSB-4818 | 03.13.101.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.022.00 | 1 |

| Item | Description | Part No. | Qty. |
|---|---|---|---|
| 4 | Air Condenser, Condensing Unit | | |
| | 120 V, 60 Hz | 03.13.078.00 | 1 |
| | 220/230/240 V, 50/60 Hz CSU/CSSBF/CSBF-24, -36-F, -48-S CSSB-2418, -3018, -3618 | 03.13.078.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-36-I, -36-S, -48-F, -48-I, and CSSB-4818 | 03.13.102.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.077.00 | 1 |
| 5 | Condenser Shroud, Condensing Unit | | |
| | 120 V, 60 Hz | 03.13.152.00 | 1 |
| | 220/230/240 V, 50/60 Hz CSU/CSSBF/CSBF-24, -36-F, -48-S CSSB-2418, -3018, -3618 | 03.13.029.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-36-I, -36-S, -48-F, -48-I, and CSSB-4818 | 03.13.031.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.026.00 | 1 |

*NOTE: The last four digits in a ten digit numerical serial number are the manufacturing date code:* 962506**2204**


Year 2022
Week Four


| Item | Description | Part No. | Qty. |
|---|---|---|---|
| 6 | Relay, Compressor | | |
| | 120 V, 60 Hz | 03.13.076.00 | 1 |
| | 220/230/240 V, 60 Hz | 03.13.107.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-24, -36F CSSB-2418, -3018, -3618 | 03.13.045.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-36-I, -36-S, -48-F, -48-I, and CSSB-4818 | 03.13.104.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-48-S | 03.13.090.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.087.00 | 1 |
| 7 | Starter, Compressor | | |
| | 120 V, 60 Hz | 03.13.020.00 | 1 |
| | 220/230/240 V, 60 Hz | 03.13.105.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-24, -36F CSSB-2418, -3018, -3618 | 03.13.046.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-36-I, -36-S, -48-F, -48-I, and CSSB-4818 | 03.13.105.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-48-S | 03.13.091.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.091.00 | 1 |
| 8 | External Protector | | |
| | 120 V, 60 Hz | 03.13.128.00 | 1 |
| | 220/230/240 V, 60 Hz | 03.13.123.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-24, -36F CSSB-2418, -3018, -3618 | 03.13.130.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-36-I, -36-S, -48-F, -48-I, and CSSB-4818 | 03.13.131.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-48-S | 03.13.127.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.125.00 | 1 |
| 9 | Filter Drier | 03.13.003.00 | 1 |
| 10 | Sight Glass | 03.13.002.00 | 1 |
| 11 | Compressor | | |
| | 120 V, 60 Hz | 03.13.018.00 | 1 |
| | 220/230/240 V, 60 Hz | 03.13.106.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-24, -36F CSSB-2418, -3018, -3618 | 03.13.099.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-36-I, -36-S, -48-F, -48-I, and CSSB-4818 | 03.13.085.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-48-S | 03.13.089.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.097.00 | 1 |
| 12 | Accumulator (Receiver—includes attached service valve) † | 03.13.075.00 | 1 |
| 13 | Valve, Service | 03.13.012.00 | 1 |


The shaded areas contain part information for **International models only**.

† The attached service valve on the Accumulator is not replaceable. It the valve malfunctions, the entire Accumulator must be replaced.

## Condensing Unit with R-404A Refrigerant
## Emerson/Copeland Model M4
## (CSU, CSSBF, CSBF, and CSSB Models)




| Item | Description | Part No. | Qty. |
|---|---|---|---|
| 1 | Fan Motor, Condensing Unit | | |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-24, -36F CSSB-2418, -3018, -3618 | 03.13.071.00 | 1 |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-36-I, -36-S, -48-F, -48-I, and CSSB-4818 | 03.13.004.00 | 1 |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.021.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-24, -36, -48-F, -48-I, and CSSB Models | 03.13.093.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.096.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-24, -36, -48-F, -48-I, and CSSB Models | 03.13.043.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-48-S | 03.13.088.00 | 1 |
| 2 | Fan Guard, Condensing Unit | | |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-24, -36, -48-F, -48-I, and CSSB Models | 03.13.074.00 | 1 |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.098.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-24, -36, -48-F, -48-I, and CSSB Models | 03.13.074.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.098.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-24, -36, -48-F, -48-I, and CSSB Models | 03.13.074.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-48-S | 03.13.098.00 | 1 |

| Item | Description | Part No. | Qty. |
|---|---|---|---|
| 3 | Fan Blade, Condensing Unit | | |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-24, -36, -48-F, -48-I, and CSSB Models | 03.13.005.00 | 1 |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.022.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-24, -36, -48-F, -48-I, and CSSB Models | 03.13.005.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.022.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-24, -36F CSSB-2418, -3018, -3618 | 03.13.005.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-36-I, -36-S, -48-F, -48-I, and CSSB-4818 | 03.13.082.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-48-S | 03.13.022.00 | 1 |

The shaded areas contain part information for **International models only**.

| Item | Description | Part No. | Qty. |
|---|---|---|---|
| 4 | Air Condenser, Condensing Unit | | |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-24, -36F CSSB-2418, -3018, -3618 | 03.13.006.00 | 1 |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-36-I, -36-S, -48-F, -48-I, and CSSB-4818 | 03.13.017.00 | 1 |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.023.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-24, -36, -48-F, -48-I, and CSSB Models | 03.13.017.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.023.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-24, -36F CSSB-2418, -3018, -3618 | 03.13.017.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-36-I, -36-S, -48-F, -48-I, and CSSB-4818 | 03.13.083.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-48-S | 03.13.023.00 | 1 |
| 5 | Condenser Shroud, Condensing Unit | | |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-24, -36, -48-F, -48-I, and CSSB Models | 03.13.029.00 | 1 |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.026.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-24, -36, -48-F, -48-I, and CSSB Models | 03.13.152.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.031.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-24, -36F CSSB-2418, -3018, -3618 | 03.13.029.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-36-I, -36-S, -48-F, -48-I, and CSSB-4818 | 03.13.084.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-48-S | 03.13.026.00 | 1 |
| 6 | Relay, Compressor | | |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-24, -36F CSSB-2418, -3018, -3618 | 03.13.072.00 | 1 |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-36-I, -36-S, -48-F, -48-I, and CSSB-4818 | 03.13.019.00 | 1 |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.027.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-24, -36, -48-F, -48-I, and CSSB Models | 03.13.095.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.087.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-24, -36F CSSB-2418, -3018, -3618 | 03.13.045.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-36-I, -36-S, -48-F, -48-I, and CSSB-4818 | 03.13.087.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-48-S | 03.13.090.00 | 1 |

| Item | Description | Part No. | Qty. |
|---|---|---|---|
| 7 | Starter, Compressor | | |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-24, -36F CSSB-2418, -3018, -3618 | 03.13.020.00 | 1 |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-36-I, -36-S, -48-F, -48-I, and CSSB-4818 | 03.13.020.00 | 1 |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.028.00 | 1 |
| | 220/230/240 V, 60 Hz | 03.13.091.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-24, -36F CSSB-2418, -3018, -3618 | 03.13.046.00 | |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-36-I, -36-S, -48-F, -48-I, and CSSB-4818 | 03.13.046.00 | |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-48-S | 03.13.091.00 | |
| 8 | External Protector | | |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-24, -36F CSSB-2418, -3018, -3618 | 03.13.120.00 | 1 |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-36-I, -36-S, -48-F, -48-I, and CSSB-4818 | 03.13.121.00 | 1 |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.122.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-24, -36, -48-F, -48-I, and CSSB Models | 03.13.124.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.125.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-24, -36F CSSB-2418, -3018, -3618 | 03.13.123.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-36-I, -36-S, -48-F, -48-I, and CSSB-4818 | 03.13.126.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-48-S | 03.13.127.00 | 1 |
| 9 | Filter Drier | | |
| | 120 V, 60 Hz | 03.13.003.00 | 1 |
| | 220/230/240 V, 50 Hz | 03.13.003.00 | 1 |
| | 220/230/240 V, 60 Hz | 03.13.092.00 | 1 |
| 10 | Sight Glass | 03.13.002.00 | 1 |

*continued...*

| Item | Description | Part No. | Qty. |
|---|---|---|---|
| 11 | Compressor | | |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-24, -36F CSSB-2418, -3018, -3618 | 03.13.013.00 | 1 |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-36-I, -36-S, -48-F, -48-I, and CSSB-4818 | 03.13.018.00 | 1 |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.025.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-24, -36, -48-F, -48-I, and CSSB Models | 03.13.094.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.097.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-24, -36F CSSB-2418, -3018, -3618 | 03.13.044.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-36-I, -36-S, -48-F, -48-I, and CSSB-4818 | 03.13.085.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-48-S | 03.13.089.00 | 1 |
| 12 | Accumulator (Receiver—includes attached service valve) † | | |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-24, -36, -48-F, -48-I, and CSSB Models | 03.13.010.00 | 1 |
| | 120 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.024.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-24, -36, -48-F, -48-I, and CSSB Models | 03.13.010.00 | 1 |
| | 220/230/240 V, 60 Hz CSU/CSSBF/CSBF-48-S | 03.13.024.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-24, -36F CSSB-2418, -3018, -3618 | 03.13.010.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-36-I, -36-S, -48-F, -48-I, and CSSB-4818 | 03.13.010.00 | 1 |
| | 220/230/240 V, 50 Hz CSU/CSSBF/CSBF-48-S | 03.13.024.00 | 1 |
| 13 | Valve, Service | 03.13.012.00 | 1 |

† The attached service valve on the Accumulator is not replaceable. It the valve malfunctions, the entire Accumulator must be replaced.

# AUTHORIZED PARTS DISTRIBUTORS • DISTRIBUTEURS DE PIÈCES AUTORISÉS

**ALABAMA**

Jones McLeod Appl. Svc.
Birmingham 205-251-0159

**ARIZONA**

Tech 24
Phoenix 602-234-2443

Byassee Equipment Co.
Phoenix 602-252-0402

**CALIFORNIA**

Industrial Electric
Commercial Parts & Service, Inc.
Huntington Beach 714-379-7100

Chapman Appl. Service
San Diego 619-298-7106

P & D Appliance
Commercial Parts & Service, Inc.
S. San Francisco 650-635-1900

**COLORADO**

Hawkins Commercial Appliance
Englewood 303-781-5548

**FLORIDA**

Whaley Foodservice Repair
Jacksonville 904-725-7800

Whaley Foodservice Repair
Orlando 407-757-0851

B.G.S.I./Heritage
Pompano Beach 954-971-0456

Comm. Appliance Service
Tampa 813-663-0313

**GEORGIA**

Heritage Service Group
Norcross 866-388-9837

**HAWAII**

Burney's Comm. Service, Inc.
Honolulu 808-848-1466

Food Equip Parts & Service
Honolulu 808-847-4871

**ILLINOIS**

Parts Town
Addison 708-865-7278

Eichenauer Elec. Service
Decatur 217-429-4229

Midwest Elec. Appl. Service
Elmhurst 630-279-8000

Cone's Repair Service
Moline 309-797-5323

**IOWA**

Goodwin Tucker Group
Des Moines 515-262-9308

**KENTUCKY**

Tech 24
Lexington 859-254-8854

Tech 24
Louisville 502-451-5411

**LOUISIANA**

Chandlers Parts & Service
Baton Rouge 225-272-6620

**MARYLAND**

Electric Motor Service
Baltimore 410-467-8080

**MASSACHUSETTS**

Ace Service Co., Inc.
Needham 781-449-4220

**MICHIGAN**

Bildons Appliance Service
Detroit 248-478-3320

Commercial Kitchen Service
Bay City 989-893-4561

Midwest Food Equip. Service
Grandville 616-261-2000

**MISSOURI**

General Parts
Kansas City 816-421-5400

Commercial Kitchen Services
St. Louis 314-890-0700

Kaemmerlen Parts & Service
St. Louis 314-535-2222

**NEBRASKA**

Anderson Electric
Omaha 402-341-1414

**NEVADA**

Burney's Commercial
Las Vegas 702-736-0006

Hi. Tech Commercial Service
N. Las Vegas 702-649-4616

**NEW JERSEY**

Jay Hill Repair
Fairfield 973-575-9145

Service Plus
Flanders 973-691-6300

**NEW YORK**

Alpro Service Co.
Maspeth 718-386-2515

Duffy's - AIS
Buffalo 716-884-7425

3Wire
Plattsburgh 800-634-5005

Duffy's - AIS
Sauquoit 800-836-1014

J.B. Brady, Inc.
Syracuse 315-422-9271

**NORTH CAROLINA**

Authorized Appliance
Charlotte 704-377-4501

**OHIO**

Akron/Canton Comm. Svc. Inc.
Akron 330-753-6634

Tech 24
Cincinnati 513-772-6600

Commercial Parts and Service
Columbus 614-221-0057

Electrical Appl. Repair Service
Brooklyn Heights 216-459-8700

E. A. Wichman Co.
Toledo 419-385-9121

**OKLAHOMA**

Hagar Rest. Service, Inc.
Oklahoma City 405-235-2184

**OREGON**

General Parts Group
Portland 503-624-0890

**PENNSYLVANIA**

Elmer Schultz Services
Philadelphia 215-627-5401

FAST Comm. Appl. Service
Philadelphia 215-288-4800

AIS Commercial Parts and Service
Pittsburgh 412-809-0244

K & D Service Co.
Harrisburg 717-236-9039

Electric Repair Co.
Reading 610-376-5444

**RHODE ISLAND**

Marshall Electric Co.
Providence 401-331-1163

**SOUTH CAROLINA**

Whaley Foodservice Repair
Lexington 803-996-9900

**TENNESSEE**

Camp Electric
Memphis 901-527-7543

**TEXAS**

Armstrong Repair Service
Houston 713-666-7100

Cooking Equipment Specialist
Mesquite 972-686-6666

Commercial Kitchen Repair Co.
San Antonio 210-735-2811

**UTAH**

La Monica's Rest. Equip. Service
Murray 801-263-3221

**VIRGINIA**

Daubers
Norfolk 757-855-4097

Daubers
Springfield 703-866-3600

**WASHINGTON**

3Wire
Seattle 800-207-3146

**WISCONSIN**

A.S.C., Inc.
Madison 608-246-3160

A.S.C., Inc.
Milwaukee 414-543-6460

## CANADA

**ALBERTA**

Key Food Equipment Service
Edmonton 780-438-1690

**BRITISH COLUMBIA**

Key Food Equipment Service
Vancouver 604-433-4484

Key Food Equipment Service
Victoria 250-920-4888

**MANITOBA**

Air Rite, Inc.
Winnipeg 204-895-2300

**NEW BRUNSWICK**

EMR Services, Ltd.
Moncton 506-855-4228

**ONTARIO**

R.G. Henderson Ltd.
Toronto 416-422-5580

Choquette - CKS, Inc.
Ottawa 613-739-8458

**QUÉBEC**

Choquette - CKS, Inc.
Montreal 514-722-2000

Choquette - CKS, Inc.
Québec City 418-681-3944

## UNITED KINGDOM

Marren Group
Northants +44(0)1933 665313

**HATCO CORPORATION**
**P.O. Box 340500**
**Milwaukee, WI 53234-0500 U.S.A.**
**414-671-6350**
**partsandservice@hatcocorp.com**
**www.hatcocorp.com**

24 Hour 7 Day Parts and Service Assistance available in the United States and Canada by calling 414-671-6350.